

Timbercrete Mortar Mix Options A

Aalborg ~ "Bricklayer's White Cement"

Grade	Parts	Parts	Parts	Parts
	Aalborg Cement/Lime Mix	Sand Type Sydney Fine Washed	Sand Type River Corse Washed	Sand Type Brickies Fattie
M3	1	1.333	1.333	1.333
M3	1	4		
M4	1	1	1	1
M4	1	3		

	Litres	Litres	Litres	Litres	Total Litres
	Cement/Lime Mix	Fine Washed	Corse Washed	Fattie	
M3	20 L	26.6	26.6	26.6	100
M3	20 L	80			100
M4	20 L	20	20	20	80
M4	20 L	60			80

Density	1kg/Lt	1.6kg/Lt	1.6kg/Lt	1.6kg/Lt	Total Weight
	Batch Weight Per Sack	Batch Weight	Batch Weight	Batch Weight	
M3	20kg	42.5kg	42.5kg	42.5kg	128kg
M3	20kg	128kg			128kg
M4	20kg	32kg	32kg	32kg	116kg
M4	20kg	96kg			116kg

Timbercrete Mortar Mix Options B

Cement & Lime

Grade	Parts	Parts	Parts	Parts	Parts
	Cement	Lime	Sand Type Sydney Fine Washed	Sand Type River Corse Washed	Sand Type Brickies Fattie
M3	1	1	2	2	2
M3 to M4	1	1	5		

	Litres	Litres	Litres	Litres	Litres	Total Litres
	Cement	Lime	Fine Washed	Corse Washed	Fattie	
M3	15.4	15.4	30.8	30.8	30.8	123.2
M3 to M4	15.4	15.4	77			107.8

Density	1.3kg/Lt	0.7kg/Lt	1.6kg/Lt	1.6kg/Lt	1.6kg/Lt	Total Weight
	Batch Weight	Batch Weight	Batch Weight	Batch Weight	Batch Weight	
M3	20kg	10.8kg	50kg	50kg	50kg	181kg
M3 to M4	20kg	10.8kg	123kg			154kg